Safety Data Sheet

MOTORCYCLE COOLANT - OAT

Safety Data Sheet dated: 09/01/2024 - version 2

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Mixture identification:

Trade name: MOTORCYCLE COOLANT - OAT

Trade code: 3099.00 UFI: YWRK-N9NM-DV21-DF1A

1.2. Relevant identified uses of the substance or mixture and uses advised against

Recommended use: Coolant Uses advised against: N.A.

1.3. Details of the supplier of the safety data sheet

Company: STREETBUZZ DISTRIBUTION GMBH

Brachalmeth 4

66271 Kleinblittersdorf - Deutschland

+49(0)6805 2063388 info@streetbuzz.com

Responsable: N.A.

1.4. Emergency telephone number

+49(0)6805 2063388

SECTION 2: Hazards identification





2.1. Classification of the substance or mixture

Regulation (EC) n. 1272/2008 (CLP)

Acute Tox. 4 Harmful if swallowed.

STOT RE 2 May cause damage to organs (kidneys) through prolonged or repeated exposure.

Adverse physicochemical, human health and environmental effects:

No other hazards

2.2. Label elements

Regulation (EC) No 1272/2008 (CLP):

Hazard pictograms and Signal Word



Warning

Hazard statements

H302 Harmful if swallowed.

H373 May cause damage to organs (kidneys) through prolonged or repeated exposure.

Precautionary statements

P260 Do not breathe dust/fume/gas/mist/vapours/spray.

P264 Wash ... Thoroughly after handling.

P270 Do not eat, drink or smoke when using this product.

P301+P310 IF SWALLOWED: Immediately call a POISON CENTER/doctor/...

P501 Dispose of contents/container in accordance with applicable regulations.

3099 MOTORCYCLE COOLANT - OAT

N° Rev. 2/R 9/1/2024

Contains

ethylene glycol

Special provisions according to Annex XVII of REACH and subsequent amendments:

None

2.3. Other hazards

No PBT, vPvB or endocrine disruptor substances present in concentration >= 0.1%.

Other Hazards: No other hazards

SECTION 3: Composition/information on ingredients

3.1. Substances

N.A.

3.2. Mixtures

Mixture identification: MOTORCYCLE COOLANT - OAT

Hazardous components within the meaning of the CLP regulation and related classification:

Qty	Name	Ident. Numb.	Classification	Registration Number
25-50 %	ethylene glycol	CAS:107-21-1 EC:203-473-3 Index:603-027- 00-1	Acute Tox. 4, H302; STOT RE 2, H373	01-2119456816-28
2.5-3 %	Sodium Benzoate	CAS:532-32-1 EC:208-534-8	Eye Irrit. 2, H319	01-2119460683-35
0.5-1 %	Methyl-1h-benzotriazole	CAS:29385-43-1 EC:249-596-6	Acute Tox. 4, H302; Aquatic Chronic 2, H411; Repr. 2, H361d	01-2119979081-35

SECTION 4: First aid measures

4.1. Description of first aid measures

In case of skin contact:

Immediately take off all contaminated clothing.

Areas of the body that have - or are only even suspected of having - come into contact with the product must be rinsed immediately with plenty of running water and possibly with soap.

Wash thoroughly the body (shower or bath).

Remove contaminated clothing immediatley and dispose off safely.

After contact with skin, wash immediately with soap and plenty of water.

In case of eyes contact:

Wash immediately with water.

In case of Ingestion:

Rinse the mouth with water.

In case of Inhalation:

Remove casualty to fresh air and keep warm and at rest.

4.2. Most important symptoms and effects, both acute and delayed

The symptoms and the most important effects are in section 11.

4.3. Indication of any immediate medical attention and special treatment needed

In case of accident or unwellness, seek medical advice immediately (show directions for use or safety data sheet if possible).

Treatment: Treat symptomatically. Contact poison center or doctor immediately if large quantities have been ingested or inhaled.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media:

Water.

Carbon dioxide (CO2).

Extinguishing media which must not be used for safety reasons:

Do not use direct water jets. Use water jets just to cool down surfaces exposed to fire.

5.2. Special hazards arising from the substance or mixture

Do not inhale explosion and combustion gases.

Burning produces heavy smoke.

5.3. Advice for firefighters

Use suitable breathing apparatus .

Collect contaminated fire extinguishing water separately. This must not be discharged into drains.

Move undamaged containers from immediate hazard area if it can be done safely.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Wear personal protection equipment.

Remove persons to safety.

See protective measures under point 7 and 8.

For emergency responders:

Wear personal protection equipment.

6.2. Environmental precautions

Do not allow to enter into soil/subsoil. Do not allow to enter into surface water or drains.

Retain contaminated washing water and dispose it.

In case of gas escape or of entry into waterways, soil or drains, inform the responsible authorities.

Suitable material for taking up: absorbing material, organic, sand

6.3. Methods and material for containment and cleaning up

Suitable material for taking up: absorbing material, organic, sand

Wash with plenty of water.

6.4. Reference to other sections

See also section 8 and 13

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Avoid contact with skin and eyes, inhaltion of vapours and mists.

Don't use empty container before they have been cleaned.

Before making transfer operations, assure that there aren't any incompatible material residuals in the containers.

Contamined clothing should be changed before entering eating areas.

Do not eat or drink while working.

See also section 8 for recommended protective equipment.

Advice on general occupational hygiene

7.2. Conditions for safe storage, including any incompatibilities

Incompatible materials:

None in particular.

Instructions as regards storage premises:

Adequately ventilated premises.

7.3. Specific end use(s)

Recommendation(s)

None in particular

Industrial sector specific solutions:

None in particular

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Community Occupational Exposure Limits (OEL)

OEL **Occupational Exposure Limit**

Type

ethylene glycol ΕU Long Term: 52 mg/m3 - 20 ppm; Short Term: 104 mg/m3 - 40 ppm CAS: 107-21-1

Skin

Derived No Effect Level (DNEL) values

Exposure Route: Human Inhalation; Exposure Frequency: Long Term, local effects ethylene glycol

CAS: 107-21-1 Worker Professional: 35 mg/m3; Consumer: 7 mg/m3

Exposure Route: Human Dermal; Exposure Frequency: Long Term, systemic effects

Worker Professional: 106 mg/kg; Consumer: 53 mg/kg

Exposure Route: Human Inhalation; Exposure Frequency: Long Term, systemic effects Sodium Benzoate

CAS: 532-32-1 Worker Professional: 3 mg/m3; Consumer: 1.5 mg/m3

Exposure Route: Human Inhalation; Exposure Frequency: Long Term, local effects

Worker Professional: 0.1 mg/m3; Consumer: 0.06 mg/m3

Exposure Route: Human Dermal; Exposure Frequency: Long Term, systemic effects

Worker Professional: 62.5 mg/kg; Consumer: 31.25 mg/kg

Methyl-1h-benzotriazole Exposure Route: Human Inhalation; Exposure Frequency: Long Term, systemic effects

CAS: 29385-43-1 Worker Professional: 21.2 mg/m3; Consumer: 0.35 mg/m3

Exposure Route: Human Dermal; Exposure Frequency: Long Term, systemic effects

Worker Professional: 0.3 mg/kg

8.2. Exposure controls

Eye protection:

Not needed for normal use. Anyway, operate according good working practices.

Protection for skin:

Use clothing that provides comprehensive protection to the skin, e.g. cotton, rubber, PVC or viton.

Protection for hands:

Use protective gloves that provides comprehensive protection, e.g. P.V.C., neoprene or rubber.

Respiratory protection:

Not necessary under normal conditions of use. Use masks with filters for organic vapors if exposure limits are exceeded.

Thermal Hazards:

Environmental exposure controls:

N.A

Hygienic and Technical measures

N.A.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical State Liquid Color: Orange Odour: N.A. pH: 8.50

Kinematic viscosity: N.A.

Melting point / freezing point: N.A. Initial boiling point and boiling range: N.A.

Flash point: Notes: Aqueous preparation, not determinable

Upper/lower flammability or explosive limits: N.A.

Vapour density: N.A. Vapour pressure: N.A. Relative density: 1.08 kg/l Solubility in water: Soluble Solubility in oil: Insoluble

Partition coefficient (n-octanol/water): N.A.

3099 MOTORCYCLE COOLANT - OAT N° Rev. 2/R 9/1/2024

Nanoforms dispersion stability Auto-ignition temperature: N.A. Decomposition temperature: N.A.

Viscosity: N.A. Flammability: N.A.

Volatile Organic compounds - VOCs = N.A.

Particle characteristics:

Particle size: N.A.

9.2. Other information

Miscibility: N.A.

Conductivity: N.A.

Evaporation rate: N.A. No other relevant information

SECTION 10: Stability and reactivity

10.1. Reactivity

Stable under normal conditions

10.2. Chemical stability

Data not available.

10.3. Possibility of hazardous reactions

None.

10.4. Conditions to avoid

Stable under normal conditions.

10.5. Incompatible materials

None in particular.

10.6. Hazardous decomposition products

None.

SECTION 11: Toxicological information

Toxicological Information of the Preparation

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

a) acute toxicity The product is classified: Acute Tox. 4(H302)

b) skin corrosion/irritation not classified

Based on available data, the classification criteria are not met

Based on available data, the classification criteria are not met

d) respiratory or skin sensitisation not classified

Based on available data, the classification criteria are not met

e) germ cell mutagenicity not classified

Based on available data, the classification criteria are not met

f) carcinogenicity not classified

Based on available data, the classification criteria are not met

g) reproductive toxicity not classified

Based on available data, the classification criteria are not met

h) STOT-single exposure not classified

Based on available data, the classification criteria are not met

i) STOT-repeated exposure The product is classified: STOT RE 2(H373)

j) aspiration hazard not classified

Based on available data, the classification criteria are not met

Toxicological information on main components of the mixture:

ethylene glycol a) acute toxicity LD50 Skin Mouse > 3500 mg/kg

LC50 Inhalation Rat > 2.5 mg/l 6h

LD50 Oral Cat 1600 mg/kg

Sodium Benzoate a) acute toxicity LD50 Oral Rat 3450 mg/kg

Methyl-1h-benzotriazole a) acute toxicity LD50 Oral > 675 mg/kg

LD50 Skin > 2000 mg/kg

11.2 Information on other hazards

Endocrine disrupting properties:

No endocrine disruptor substances present in concentration >= 0.1%

SECTION 12: Ecological information

12.1. Toxicity

Adopt good working practices, so that the product is not released into the environment. Eco-Toxicological Information:

List of Eco-Toxicological properties of the product

Not classified for environmental hazards.

No data available for the product

List of Eco-Toxicological properties of the components

Component Ident. Numb. Ecotox Data

ethylene glycol CAS: 107-21-1 - EC50 Daphnia > 100 mg/L 48h

EINECS: 203-473-3 - INDEX: 603-027-00-1

Methyl-1h-benzotriazole CAS: 29385-43- a) Aquatic acute toxicity: LC50 Fish Danio rerio 180 mg/L 72h

1 - EINECS: 249-596-6

a) Aquatic acute toxicity : EC50 Algae Pseudokirchneriella subcapitata 75 mg/L $\,$

72h

12.2. Persistence and degradability

N.A.

12.3. Bioaccumulative potential

N.A.

12.4. Mobility in soil

N.A.

12.5. Results of PBT and vPvB assessment

12.6 Endocrine disrupting properties

No endocrine disruptor substances present in concentration >=0.1%

12.7 Other adverse effects

No PBT or vPvB substances present in concentration >= 0.1%

N.A.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Recover, if possible. Send to authorised disposal plants or for incineration under controlled conditions. In so doing, comply with the local and national regulations currently in force.

SECTION 14: Transport information

Not classified as dangerous in the meaning of transport regulations.

14.1. UN number or ID number

NΑ

14.2. UN proper shipping name

N.A.

14.3. Transport hazard class(es)

N.A.

14.4. Packing group

N.A.

14.5. Environmental hazards

N.A

14.6. Special precautions for user

N.A.

Road and Rail (ADR-RID):

N.A.

Air (IATA):

N.A.

Sea (IMDG):

N.A.

14.7. Maritime transport in bulk according to IMO instruments

ΝΔ

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Dir. 98/24/EC (Risks related to chemical agents at work)

Dir. 2000/39/EC (Occupational exposure limit values)

Regulation (EC) n. 1907/2006 (REACH)

Regulation (EC) n. 1272/2008 (CLP)

Regulation (EC) n. 790/2009 (ATP 1 CLP) and (EU) n. 758/2013

Regulation (EU) n. 2020/878

Regulation (EU) n. 286/2011 (ATP 2 CLP)

Regulation (EU) n. 618/2012 (ATP 3 CLP)

Regulation (EU) n. 487/2013 (ATP 4 CLP)

Regulation (EU) n. 944/2013 (ATP 5 CLP) Regulation (EU) n. 605/2014 (ATP 6 CLP)

Regulation (EU) n. 2015/1221 (ATP 7 CLP)

Regulation (EU) n. 2016/918 (ATP 8 CLP)

Regulation (EU) n. 2016/1179 (ATP 9 CLP)

Regulation (EU) n. 2017/776 (ATP 10 CLP)

Regulation (EU) n. 2018/669 (ATP 11 CLP)

Regulation (EU) n. 2018/1480 (ATP 13 CLP)

Regulation (EU) n. 2019/521 (ATP 12 CLP)

Regulation (EU) n. 2020/217 (ATP 14 CLP)

Regulation (EU) n. 2020/1182 (ATP 15 CLP)

Regulation (EU) n. 2021/643 (ATP 16 CLP)

Regulation (EU) n. 2021/849 (ATP 17 CLP) Regulation (EU) n. 2022/692 (ATP 18 CLP)

Restrictions related to the product or the substances contained according to Annex XVII Regulation (EC) 1907/2006 (REACH) and subsequent modifications:

Restrictions related to the product: None

Restrictions related to the substances contained: None

Provisions related to directive EU 2012/18 (Seveso III):

N.A

Regulation (EU) No 649/2012 (PIC regulation)

German Water Hazard Class.

N.A.

SVHC Substances:

Code

No data available

15.2. Chemical safety assessment

No Chemical Safety Assessment has been carried out for the mixture.

SECTION 16: Other information

Description

Code	Description		
H302	Harmful if swallowed.		
H319	Causes serious eye irritation.		
H361d	Suspected of damaging the unborn child.		
H373	May cause damage to organs through prolonged or repeated exposure.		
H373	May cause damage to organs (kidneys) through prolonged or repeated exposure.		
H411	Toxic to aquatic life with long lasting effects.		
Code	Hazard class and hazard category	Description	
Code 3.1/4/Oral	Hazard class and hazard category Acute Tox. 4	Description Acute toxicity (oral), Category 4	
	5 ,	•	
3.1/4/Oral	Acute Tox. 4	Acute toxicity (oral), Category 4	
3.1/4/Oral 3.3/2	Acute Tox. 4 Eye Irrit. 2	Acute toxicity (oral), Category 4 Eye irritation, Category 2	

Classification and procedure used to derive the classification for mixtures according to Regulation (EC) 1272/2008 [CLP]:

Classification according to Regulation (EC) Nr. 1272/2008	Classification procedure
Acute Tox. 4, H302	Calculation method
STOT RF 2, H373	Calculation method

This document was prepared by a competent person who has received appropriate training.

Main bibliographic sources:

ECDIN - Environmental Chemicals Data and Information Network - Joint Research Centre, Commission of the European Communities

SAX's DANGEROUS PROPERTIES OF INDUSTRIAL MATERIALS - Eight Edition - Van Nostrand Reinold

CCNL - Appendix 1

The information contained herein is based on our state of knowledge at the above-specified date. It refers solely to the product indicated and constitutes no guarantee of particular quality.

It is the duty of the user to ensure that this information is appropriate and complete with respect to the specific use intended.

This MSDS cancels and replaces any preceding release.

Legend to abbreviations and acronyms used in the safety data sheet:

ACGIH: American Conference of Governmental Industrial Hygienists

ADR: European Agreement concerning the International Carriage of Dangerous Goods by Road.

AND: European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways

ATE: Acute Toxicity Estimate

ATEmix: Acute toxicity Estimate (Mixtures)

BCF: Biological Concentration Factor BEI: Biological Exposure Index BOD: Biochemical Oxygen Demand

CAS: Chemical Abstracts Service (division of the American Chemical Society).

CAV: Poison Center CE: European Community

CLP: Classification, Labeling, Packaging.

CMR: Carcinogenic, Mutagenic and Reprotoxic

COD: Chemical Oxygen Demand COV: Volatile Organic Compound CSA: Chemical Safety Assessment CSR: Chemical Safety Report

DMEL: Derived Minimal Effect Level DNEL: Derived No Effect Level.

DPD: Dangerous Preparations Directive DSD: Dangerous Substances Directive EC50: Half Maximal Effective Concentration

ECHA: European Chemicals Agency

EINECS: European Inventory of Existing Commercial Chemical Substances.

ES: Exposure Scenario

GefStoffVO: Ordinance on Hazardous Substances, Germany.

GHS: Globally Harmonized System of Classification and Labeling of Chemicals.

IARC: International Agency for Research on Cancer

IATA: International Air Transport Association.

IATA-DGR: Dangerous Goods Regulation by the "International Air Transport Association" (IATA).

IC50: half maximal inhibitory concentration ICAO: International Civil Aviation Organization.

ICAO-TI: Technical Instructions by the "International Civil Aviation Organization" (ICAO).

IMDG: International Maritime Code for Dangerous Goods. INCI: International Nomenclature of Cosmetic Ingredients.

IRCCS: Scientific Institute for Research, Hospitalization and Health Care

KAFH: KAFH

KSt: Explosion coefficient.

LC50: Lethal concentration, for 50 percent of test population.

LD50: Lethal dose, for 50 percent of test population.

LDLo: Leathal Dose Low N.A.: Not Applicable N/A: Not Applicable

N/D: Not defined/ Not available

NA: Not available

NIOSH: National Institute for Occupational Safety and Health

NOAEL: No Observed Adverse Effect Level

OSHA: Occupational Safety and Health Administration

PBT: Persistent, Bioaccumulative and Toxic

PGK: Packaging Instruction

PNEC: Predicted No Effect Concentration.

PSG: Passengers

RID: Regulation Concerning the International Transport of Dangerous Goods by Rail.

STEL: Short Term Exposure limit. STOT: Specific Target Organ Toxicity.

TLV: Threshold Limiting Value.

TWATLV: Threshold Limit Value for the Time Weighted Average 8 hour day. (ACGIH Standard).

vPvB: Very Persistent, Very Bioaccumulative.

WGK: German Water Hazard Class.

* Sheet model entirely changed in compliance to regulatory update.