

Safety data sheet
according to 1907/2006/EC, Article 31

Printing date 24.04.2018

Revision: 24.04.2018

1 Identification of the substance/mixture and of the company/undertaking



- **Product identifier**
- **Trade name:** STAGE 6 2T MOTÖL R/T MK2 VOLLSYNTHETISCH
- **Relevant identified uses of the substance or mixture and uses advised against**
No further relevant information available.
- **Application of the substance / the mixture** Lubricant
- **Details of the supplier of the safety data sheet**
- **Manufacturer/Supplier:**
Streetbuzz Distribution GmbH
Brachalmeth 4
66271 Kleinblittersdorf
Tel.: 0681/94880-0
- **Further information obtainable from:** Productmanagement
- **Emergency telephone number:** Tel.: 0681-94880-0

2 Hazards identification

- **Classification of the substance or mixture**
- **Classification according to Regulation (EC) No 1272/2008**
The product is not classified according to the CLP regulation.
-
- **Label elements**
- **Labelling according to Regulation (EC) No 1272/2008** Void
- **Hazard pictograms** Void
- **Signal word** Void
- **Hazard statements** Void
- **Precautionary statements**
P301+P330+P331 IF SWALLOWED: rinse mouth. Do NOT induce vomiting.
P315 Get immediate medical advice/attention.
- **Additional information:**
EUH066 Repeated exposure may cause skin dryness or cracking.
Safety data sheet available on request.
- **Other hazards**
- **Results of PBT and vPvB assessment**
- **PBT:** Not applicable.
- **vPvB:** Not applicable.

3 Composition/information on ingredients

- **Chemical characterisation:** Mixtures
- **Description:** Mixture of substances listed below with nonhazardous additions.
- **Dangerous components:**

CAS: 64742-47-8	Distillates (petroleum), hydrotreated light	20-30%
EINECS: 265-149-8	 Flam. Liq. 3, H226;  Asp. Tox. 1, H304	

(Contd. on page 2)

Safety data sheet
according to 1907/2006/EC, Article 31

Printing date 24.04.2018

Revision: 24.04.2018

Trade name: STAGE 6 2T MOTÖL R/T MK2 VOLLSYNTHETISCH

(Contd. of page 1)

· **Additional information:** For the wording of the listed hazard phrases refer to section 16.

4 First aid measures

- **Description of first aid measures**
- **General information:** No special measures required.
- **After inhalation:** Supply fresh air; consult doctor in case of complaints.
- **After skin contact:** Rinse with warm water.
- **After eye contact:** Remove contact lenses.
- **After swallowing:** Rinse mouth thoroughly
- **Information for doctor:**
- **Most important symptoms and effects, both acute and delayed**
If swallowed or vomited, danger of entering the lungs. Aspiration can lead to pulmonary edema and pneumonia.
- **Indication of any immediate medical attention and special treatment needed**
No further relevant information available.

5 Firefighting measures

- **Extinguishing media**
- **Suitable extinguishing agents:**
Dry extinguishing agent
Alcohol resistant foam
Use fire extinguishing methods suitable to surrounding conditions.
- **Special hazards arising from the substance or mixture**
In case of fire, the following can be released:
Carbon oxides
sulfur oxides
Nitrogen oxides (NO_x)
- **Advice for firefighters**
- **Protective equipment:** Wear self-contained respiratory protective device.

6 Accidental release measures

- **Personal precautions, protective equipment and emergency procedures**
Contaminated surfaces become extremely slippery.
- **Environmental precautions:** Do not allow to enter sewers/ surface or ground water.
- **Methods and material for containment and cleaning up:**
Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).
- **Reference to other sections**
See Section 7 for information on safe handling.
See Section 8 for information on personal protection equipment.

(Contd. on page 3)

Safety data sheet
according to 1907/2006/EC, Article 31

Printing date 24.04.2018

Revision: 24.04.2018

Trade name: STAGE 6 2T MOTÖL R/T MK2 VOLLSYNTHETISCH

See Section 13 for disposal information.

(Contd. of page 2)

7 Handling and storage

- **Handling:**
- **Precautions for safe handling**
 - Avoid contact with eyes and skin.
 - Remove soiled clothing and wash before reuse.
 - Do not eat, drink, or smoke at work
 - Wash hands before breaks and at the end of work.
 - Do not carry any soaked cloths in your trouser pockets.
 - Contaminated equipment (brushes, rags) must be cleaned immediately with water.
 - Do not breathe vapors or spray mist.
 - No special measures required.
- **Information about fire - and explosion protection:** No special measures required.
- **Conditions for safe storage, including any incompatibilities**
- **Storage:**
- **Requirements to be met by storerooms and receptacles:**
 - Keep container tightly closed in a dry, cool and well-ventilated place.
 - Protect from heat
 - Protect from direct sunlight.
 - Store only in the original receptacle.
- **Information about storage in one common storage facility:** Incompatible with oxidizing agents.
- **Further information about storage conditions:** Avoid getting into the ground.
- **Specific end use(s)** No further relevant information available.

8 Exposure controls/personal protection

- **Additional information about design of technical facilities:** No further data; see item 7.
- **Control parameters**
- **Ingredients with limit values that require monitoring at the workplace:**
 - The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.
- **Additional information:** The lists valid during the making were used as basis.
- **Exposure controls**
- **Personal protective equipment:**
- **General protective and hygienic measures:**
 - The usual precautionary measures are to be adhered to when handling chemicals.
- **Respiratory protection:**
 - Use suitable respiratory protective device only when aerosol or mist is formed.
 - Recommended filter type: A2, A2P2, ABEK

(Contd. on page 4)

Safety data sheet
according to 1907/2006/EC, Article 31

Printing date 24.04.2018

Revision: 24.04.2018

Trade name: STAGE 6 2T MOTÖL R/T MK2 VOLLSYNTHETISCH

(Contd. of page 3)

· **Protection of hands:**

Preventive skin protection by use of skin-protecting agents is recommended.

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

· **Material of gloves**

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

· **Penetration time of glove material**

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

· **Eye protection:** *Goggles recommended during refilling*

9 Physical and chemical properties

· **Information on basic physical and chemical properties**

· **General Information**

· **Appearance:**

Form:	Fluid
Colour:	Amber coloured
· Odour:	Characteristic
· Odour threshold:	Not determined.

· **pH-value:** Not determined.

· **Change in condition**

Melting point/freezing point:	-25 °C
Initial boiling point and boiling range:	Undetermined.

· **Flash point:** >100 °C

· **Flammability (solid, gas):** Not applicable.

· **Ignition temperature:** unbekannt °C

· **Decomposition temperature:** Not determined.

· **Auto-ignition temperature:** Product is not selfigniting.

· **Explosive properties:** Product does not present an explosion hazard.

· **Explosion limits:**

Lower: Not determined.

(Contd. on page 5)

Safety data sheet
according to 1907/2006/EC, Article 31

Printing date 24.04.2018

Revision: 24.04.2018

Trade name: STAGE 6 2T MOTÖL R/T MK2 VOLLSYNTHETISCH

(Contd. of page 4)

Upper:	Not determined.
· Vapour pressure:	Not determined.
· Density at 20 °C:	0.87 g/cm ³
· Relative density	Not determined.
· Vapour density	Not determined.
· Evaporation rate	Not determined.
· Solubility in / Miscibility with water:	Not miscible or difficult to mix.
· Partition coefficient: n-octanol/water:	Not determined.
· Viscosity:	
Dynamic:	Not determined.
Kinematic at 40 °C:	40–100 mm ² /s
· Solvent content:	
VOC (EC)	0.00 %
· Other information	No further relevant information available.

10 Stability and reactivity

- **Reactivity** No further relevant information available.
- **Chemical stability**
- **Thermal decomposition / conditions to be avoided:**
No decomposition if used according to specifications.
- **Possibility of hazardous reactions** No dangerous reactions known.
- **Conditions to avoid** Protect from frost, heat and sunlight.
- **Incompatible materials:** Incompatible with oxidizing agents.
- **Hazardous decomposition products:** No dangerous decomposition products known.

11 Toxicological information

- **Information on toxicological effects**
- **Acute toxicity** Based on available data, the classification criteria are not met.
- **Primary irritant effect:**
- **Skin corrosion/irritation** Based on available data, the classification criteria are not met.
- **Serious eye damage/irritation** Based on available data, the classification criteria are not met.
- **Respiratory or skin sensitisation** Based on available data, the classification criteria are not met.
- **CMR effects (carcinogenicity, mutagenicity and toxicity for reproduction)**
- **Germ cell mutagenicity** Based on available data, the classification criteria are not met.
- **Carcinogenicity** Based on available data, the classification criteria are not met.
- **Reproductive toxicity** Based on available data, the classification criteria are not met.

(Contd. on page 6)

Safety data sheet
according to 1907/2006/EC, Article 31

Printing date 24.04.2018

Revision: 24.04.2018

Trade name: STAGE 6 2T MOTÖL R/T MK2 VOLLSYNTHETISCH

(Contd. of page 5)

- **STOT-single exposure** Based on available data, the classification criteria are not met.
- **STOT-repeated exposure** Based on available data, the classification criteria are not met.
- **Aspiration hazard** Based on available data, the classification criteria are not met.

12 Ecological information

- **Toxicity**
- **Aquatic toxicity:** No further relevant information available.
- **Persistence and degradability** Not easily biodegradable
- **Behaviour in environmental systems:**
- **Bioaccumulative potential** No further relevant information available.
- **Mobility in soil** No further relevant information available.
- **Additional ecological information:**
- **General notes:**
Water hazard class 2 (German Regulation) (Self-assessment): hazardous for water
Do not allow product to reach ground water, water course or sewage system.
Danger to drinking water if even small quantities leak into the ground.
- **Results of PBT and vPvB assessment**
- **PBT:** Not applicable.
- **vPvB:** Not applicable.
- **Other adverse effects** No further relevant information available.

13 Disposal considerations

- **Waste treatment methods**
 - **Recommendation** Smaller quantities can be disposed of with household waste.
- | | |
|-----------------------------------|---|
| · European waste catalogue | |
| 13 02 06* | synthetic engine, gear and lubricating oils |
- **Uncleaned packaging:**
 - **Recommendation:** Disposal must be made according to official regulations.

14 Transport information

- | | |
|-------------------------------|---------------|
| · UN-Number | |
| · ADR, ADN, IMDG, IATA | not regulated |
- | | |
|----------------------------------|---------------|
| · UN proper shipping name | |
| · ADR, ADN, IMDG, IATA | not regulated |

(Contd. on page 7)

Safety data sheet
according to 1907/2006/EC, Article 31

Printing date 24.04.2018

Revision: 24.04.2018

Trade name: STAGE 6 2T MOTÖL R/T MK2 VOLLSYNTHETISCH

(Contd. of page 6)

· Transport hazard class(es)	
· ADR, ADN, IMDG, IATA	
· Class	<i>not regulated</i>
· Packing group	
· ADR, IMDG, IATA	<i>not regulated</i>
· Environmental hazards:	<i>Not applicable.</i>
· Special precautions for user	<i>Not applicable.</i>
· Transport in bulk according to Annex II of Marpol and the IBC Code	<i>Not applicable.</i>
· UN "Model Regulation":	<i>not regulated</i>

15 Regulatory information

- **Safety, health and environmental regulations/legislation specific for the substance or mixture**
- **Directive 2012/18/EU**
- **Named dangerous substances - ANNEX I** None of the ingredients is listed.
- **Chemical safety assessment:** A Chemical Safety Assessment has not been carried out.

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

- **Relevant phrases**
H226 Flammable liquid and vapour.
H304 May be fatal if swallowed and enters airways.
- **Department issuing SDS:** Department Product Safety
- **Contact:** Produktmanagement
- **Abbreviations and acronyms:**
ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)
IMDG: International Maritime Code for Dangerous Goods
IATA: International Air Transport Association
GHS: Globally Harmonised System of Classification and Labelling of Chemicals
EINECS: European Inventory of Existing Commercial Chemical Substances
ELINCS: European List of Notified Chemical Substances
CAS: Chemical Abstracts Service (division of the American Chemical Society)
VOC: Volatile Organic Compounds (USA, EU)
PBT: Persistent, Bioaccumulative and Toxic
vPvB: very Persistent and very Bioaccumulative

(Contd. on page 8)

Safety data sheet
according to 1907/2006/EC, Article 31

Printing date 24.04.2018

Revision: 24.04.2018

Trade name: STAGE 6 2T MOTÖL R/T MK2 VOLLSYNTHETISCH

Flam. Liq. 3: Flammable liquids – Category 3
Asp. Tox. 1: Aspiration hazard – Category 1

(Contd. of page 7)

GB